
Amendments to the Claims

1. (currently amended). A compound of Formula (I)



or a pharmaceutically acceptable salt or solvate thereof wherein

R¹ is H, C₁₋₆alkyl, C₁₋₆haloalkyl, C₁₋₆alkoxy, C₁₋₆thioalkyl, cyano, halo, C₃₋₇cycloalkyl, -C₁₋₆alkylene-C₃₋₇cycloalkyl, C₂₋₆alkenyl or C₃₋₆alkynyl;

 R^2 is $C(D)NR^3R^4$, D'- D''(R^3)(R^4) or $CH_2NR^3R^4$

D' is CH2 or a bond;

D" is C, C-OH or CH

wherein

said C is attached to R³ by a single or double bond; said C is attached to R⁴ by a single or double bond; provided that

C is not attached to both R³ and R⁴ by double bonds;

said CH is attached to R³ and R⁴ by single bonds; said C of C-OH is attached to R³ and R⁴ by single bonds;

D is O or S;

R³ and R⁴ are each independently selected from the group consisting of H, C₁₋₆alkyl, C₁₋₆haloalkyl, -C₁₋₆hydroxyalkyl, -C₁₋₄alkylene-O-C₁₋₄alkyl, -C₁₋₆alkylene-C₁₋₆thioalkyl, -C₂₋₆alkylidene-(C₁₋₄alkoxy)₂, C₃₋₇cycloalkyl, -C₁₋₆alkylene-C₃₋₇cycloalkyl, C₂₋₆alkenyl, C₃₋₆alkynyl, -C₁₋₆alkylene-CN, -C₁₋₆alkylene-heterocyclo and -C₁₋₆alkylene-aryl;

wherein said aryl of said -C₁₋₆alkylene-aryl is optionally substituted with one to three of the same or different substituents selected from the group consisting of fluoro, chloro, bromo, cyano, nitro, C₁₋₄alkyl and C₁₋₃alkoxy;


OL


R³ and R⁴ together with the nitrogen to which they are attached form a five or six-membered heterocycle,

said heterocycle optionally containing one additional heteroatom selected from the group consisting of N, S and O; and

said heterocycle optionally substituted with one or more groups selected from the group consisting of C₁₋₆alkyl, C₁₋₆alkoxy, aryl, -C₁₋₄alkylene-aryl, pyridyl and halogen;

wherein said aryl of said -C₁₋₄alkylene-aryl is optionally substituted with one to three of the same or different substituents selected from the group consisting of fluoro, chloro, bromo, cyano, nitro and C₁₋₃alkoxy;





wherein

X¹ is N and is attached to X;

Y¹ is N and is attached to Y;

10/771,766 / CT2662 DIV2

G is

wherein

Y² is N, CH, CH₂, G(O), C(S), CR⁵ or CHR⁵ and is attached to Y¹;

J is CH, CH₂, G(O), C(S), CR⁶ or CHR⁶;

Z¹ is CH, CH₂, G(O), C(S), CR⁷ or CHR⁷ and is attached to Z;

wherein

R⁵, R⁶ and R⁷ are each independently selected from the group consisting of -CN, -C₁₋₄alk(en)ylene-CN, halo, C₁₋₆alkyl, C₂₋₆alkenyl, C₃₋₆alkynyl, C₁₋₆haloalkyl, aryl, -C₁₋₄alk(en)ylene-aryl, -C₁₋₄alk(en)ylene-heterocyclo, heterocyclo, -C₁₋₄alk(en)ylene- amino, -C₁₋₄alkylene-amino-C₁₋₄alkyl, aryl-amino, -amino-(C₁₋₆alk(en)yl)₁₋₂, -amino-aryl, -amino-heterocyclo, C₁₋₆alkoxy, -O-aryl and -O-heterocyclo;

- Z is N-V, wherein V is phenyl, 2-pyridyl or 3-pyridyl substituted with two to three of the same or different substitutents substituents selected from the group consisting of C₁₋₄alkyl, C₁₋₄thioalkyl, C₁₋₄haloalkyl, halogen, N(C₁-C₄alkyl)₂ and CN.
- 2. (currently amended) A compound according to claim 1 wherein V is phenyl or 3-pyridyl and is substituted with two to three of the same or different substitutents substitutents selected from the group consisting of C₁₋₄alkyl, C₁₋₄alkoxy, C₁₋₆thioalkyl, C₁₋₄haloalkyl, halogen, N(C₁-C₄alkyl)₂ and CN; said substituents attached at the 2, 4 or 6-positions of said phenyl or said 3-pyridyl.

- 3. (currently amended) A compound according to claim 1 wherein V is 2-pyridyl and is substituted with two of the same or different substitutents substituents selected from the group consisting of C₁₋₄alkyl, C₁₋₄alkoxy, C₁₋₆thioalkyl, C₁₋₄haloalkyl, halogen, N(C₁-C₄alkyl)₂ and CN; said substituents attached at the 3 and 5-positions of said 2-pyridyl.
- 4. (original) A compound according to claim 1 wherein R¹ is C₁₋₆alkyl or C₁₋₆haloalkyl.
- 5. (original) A compound according to claim 1 wherein R¹ is methyl or trifluoromethyl.
- 6. (original) A compound according to claim 1 wherein R² is C(D)NR³R⁴ and D is O.
- 7. (original) A compound according to claim 1 wherein R² is CH₂N R³R⁴.
- 8. (original) A compound according to claim 1 wherein R² is D'- D''(R³)(R⁴), D is a bond and D'' is C-OH.
- 9. (original) A compound according to claim 1 wherein R² is D'-D''(R³)(R⁴), D is a bond and D'' is C or CH.
- 10. (original) A compound according to claim 1 wherein R³ and R⁴ are each independently selected from the group consisting of H, C₁₋₆alkyl, C₁₋₆haloalkyl, -C₁₋₆hydroxyalkyl, -C₁₋₄alkylene-O-C₁₋₄alkyl, -C₁₋₃alkylene-C₁₋₆thioalkyl, -C₂₋₆alkylidene-(C₁₋₄alkoxy)₂, C₃₋₇cycloalkyl, -C₁₋₆alkylene-C₃₋₇cycloalkyl, C₂₋₆alkenyl, C₃₋₆alkynyl and -C₁₋₆alkylene-CN.
- 11. (original) A compound according to claim 1 wherein R³ and R⁴ together with the nitrogen to which they are attached form a five or six-membered heterocycle.
- 12. (original) A compound according to claim 1 wherein V is 2, 4, 6-trimethylphenyl.
- 13. (original) A compound according to claim 1 wherein V is 2,4-dichlorophenyl.

- 14. (original) A compound according to claim 1 wherein R⁵, R⁶ and R⁷ are each independently selected from the group consisting of halogen, C₁₋₆alkyl, C₁₋₆haloalkyl, benzyl, phenyl, C₁₋₃alkyl-imidazolyl, C₁₋₃alkyl-indolyl and C₁₋₃alkyl-pyridyl.
- 15. (original) A compound according to claim 1 wherein Y² is CH₂, J is CH₂ and Z¹ is CH₂.
- 16. (original) A compound according to claim 1 wherein R^1 is CN or CF_3 and Y^2 is CH_2 , J is CH_2 and Z^1 is CH_2 .
- 17. (canceled)
- 18. (canceled)
- 19. (original) A compound or pharmaceutically acceptable salt of solvate thereof selected from the group consisting of
 - Cyclopropylmethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
 - 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid ethyl ester;
 - 2-Ethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid ethyl ester;
 - [2-Trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-yl]-methanol;
 - [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-yl]-methanol;
 - 2-Ethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid cyclopropylmethyl-propyl-amide;
 - 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid pentafluorophenyl ester;
 - 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid phenethyl-propyl-amide;

- 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid cyclobutylmethyl-propyl-amide;
- 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid bis-cyclopropylmethyl-amide;
- Cyclopropylmethyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- 3-(3,6-Dihydro-2H-pyridin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 3-Thiomorpholin-4-ylmethyl-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 3-Piperidin-1-ylmethyl-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 3-(2-Methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 3-(4-Methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- Benzyl-methyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Methyl-phenethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Diallyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Dipropyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Butyl-methyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Butyl-ethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Ethyl-(2-methyl-allyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- 3-(3-Phenyl-pyrrolidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-

tetrahydro-imidazo[1,2-a]pyrimidine;

Cyclopropylmethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclopropylmethyl-(2,2,3,3,3-pentafluoro-propyl)-[2trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclopropylmethyl-ethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclobutylmethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclobutylmethyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;

Propyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

(2,2,3,3,3-Pentafluoro-propyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Phenethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;

Phenethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Phenethyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Ethyl-phenethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Benzyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Benzyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;

(2-Cyclopropyl-ethyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

- (2-Cyclopropyl-ethyl)-ethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- (2-Cyclopropyl-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- (2-Cyclopropyl-ethyl)-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-
- 5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- (4-Fluoro-benzyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- (4-Fluoro-benzyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- (4-Chloro-benzyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- (4-Chloro-benzyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Allyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-propyl-amine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-morpholin-4-ylmethyl-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-thiomorpholin-4-ylmethyl-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-piperidin-1-ylmethyl-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-(2-methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-(3-methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-(4-methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- Diallyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-

a]pyrimidin-3-ylmethyl]-amine;

Butyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-methyl-amine;

Benzyl-butyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-ethyl-(2-methyl-allyl)-amine;

Benzyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-methyl-amine;

Butyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-ethyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-dipropyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-methoxy-ethyl)-propyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclobutylmethyl-propyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclobutylmethyl-(2,2,2-trifluoro-ethyl)-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-ethyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-(2,2,2-trifluoro-ethyl)-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-(2,2,3,3,3-pentafluoro-propyl)-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-(3,3,3-trifluoro-propyl)-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2,2,3,3,3-pentafluoro-propyl)-propyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-phenethyl-(3,3,3-trifluoro-propyl)-amine;

- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-phenethyl-(2,2,2-trifluoro-ethyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-ethyl-phenethyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-phenethyl-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-cyclopropyl-ethyl)-(3,3,3-trifluoro-propyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-cyclopropyl-ethyl)-ethyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-cyclopropyl-ethyl)-propyl-amine;
- Benzyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-cyclopropyl-ethyl)-(2,2,2-trifluoro-ethyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(4-fluoro-benzyl)-(3,3,3-trifluoro-propyl)-amine;
- (4-Chloro-benzyl)-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- (4-Chloro-benzyl)-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-amine;
- Benzyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-amine;
- Allyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(4-fluoro-benzyl)-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3-fluoro-benzyl)-(3,3,3-trifluoro-propyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-

- a]pyrimidin-3-ylmethyl]-(3-fluoro-benzyl)-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-
- a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-(2,2,2-trifluoro ethyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(4-nitro-benzyl)-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo [1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo [1,2-dimethyl-phenyl]-2-trifluoromethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1
- a]pyrimidin-3-ylmethyl]-cyclobutylmethyl-ethyl-amine;
- 3-(2-Benzyl-pyrrolidin-1-ylmethyl)-8-(2-chloro-4, 6-dimethyl-phenyl)-2-trifluoromethyl-phenyl)-2-trifluoromethyl-phenyl)-3-(2-benzyl-pyrrolidin-1-ylmethyl)-8-(2-chloro-4, 6-dimethyl-phenyl)-2-trifluoromethyl-phenyl)-3-trifluoromethyl-phenyl
- 5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine; and
- 3-(2-Benzyl-pyrrolidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine.
- 20. (currently amended). A method of treating depression[5] and anxiety, affective disorders, post-traumatic stress disorder, post-operative stress, beadache, drug addiction, eating disorders and obesity; sudden death due to cardiae disorders, iritable bowel syndrome, hypertension, syndrome X, inflammatory disorders, stress induced immune suppression, infertility, stress induced insomnia and other-sleep disorders, seizures, epilepsy, stroke and cerebral ischemia, traumatic brain injury, yet other disorders requiring neuroprotection, drug or alcohol withdrawal symptoms, other disorders including tachycardia, congestive heart failure, osteoporosis, premature birth, psychosocial dwarfism, ulcers, diarrhea and post-operative ileus comprising the administration of a pharmaceutical composition comprising a compound according to claim 1.